







# ENGINE PERFORMANCE CURVE TO THE PERFORMANCE CURVE TO THE PERFORMANCE CURVE YOUR POWER TO YOUR POWER TO YOUR POWER TO THE PERFORMANCE CURVE YOUR POWER TO THE PERFORMANCE CURVE

Isuzu 4JJ1-TC Hi-Power turbo diesel engine offers maximum torque output across a wide rev range minimising the need to change gears

#### Behind the style, there's plenty of substance.

With 3 tonne towing (braked) across the entire range, the Isuzu MU-X never knocks back hard work. Be it towing your boat, caravan, horse float or trailer, the MU-X does it effortlessly and with confidence – thanks to the ingenious Isuzu technology and Japanese engineering under the bonnet.

Delivering 130kW of power and 380Nm of torque, the high-pressure common rail fuel injection system makes the most of every drop of fuel, and the intercooled VGS (Variable Geometry System)

turbocharger provides excellent response over the engine's entire rev range. Proven in a series of testing environments, each component of the Isuzu diesel engine has been crafted to reduce maintenance and increase durability to ensure years of trouble-free motoring.

4x4 LS-U in Silky White pearl, fitted with extra cost tow bar

## YOUR FUEL EFFICIENCY

#### Fuel Consumption Figures

Isuzu MU-X Models	Transmission	Combined Fuel Consumption <sup>△</sup>			
4x2 LS-M	Automatic	8.1L/100km			
4x2 LS-U	Automatic	8.1L/100km			
4x4 LS-M	Manual	8.1L/100km			
4x4 LS-M	Automatic	8.3L/100km			
4x4 LS-U	Manual	8.1L/100km			
4x4 LS-U	Automatic	8.3L/100km			
4x4 LS-T	Automatic	8.3L/100km			

#### Legendary fuel economy takes you further.


From one of the world's leading manufacturers of diesel engine technology, the impressive Isuzu 3.0 litre turbo diesel engine that powers the Isuzu MU-X is as frugal as it is athletic. Delivering plenty of power and torque, this stirring powerplant produces equally amazing fuel economy from just 8.1 litres per 100 km – which means less time filling up and more money in your pocket to spend on your next adventure.

The MU-X is as efficient as it gets thanks to three core engine characteristics – low down torque from 1,800rpm through to 2,800rpm provides optimum performance and fuel efficiency, while the MU-X's Variable Geometry System (VGS) turbocharger

alters the direction of exhaust flow to optimise turbine response at low engine rpm to overcome 'turbo lag'. Overseeing the fuel delivery is the MU-X's common rail high pressure fuel system which uses the latest in fuel injector and high pressure fuel rail technology to effectively minimise the amount of fuel in the combustion process, providing superior fuel economy.

In addition, automatic versions of the MU-X also benefit from the intelligent 'grade-logic' transmission which keeps the MU-X in the correct gear preventing over-revving and unnecessary fuel burn.

<sup>A</sup>ADR 81/02 is the federal government's standard laboratory based test regime. Figures applicable for MU-X models built from 6 November 2014 onwards. Your figures may depend on driving style, conditions of usage, vehicle condition and load, and other factors.







4x2 LS-U in Fjord Blue metallic

Common rail high-pressure fuel injection

Fuel efficient 5-speed automatic transmission with Rev-Tronic


Multi Information Display of instant and average fuel consumption

## YOUR OFF-ROAD TOUGHNESS ELLENSIN . 4x4 LS-M in Cosmic Black mica, Vehicle clearance and angles dimensions fitted with extra cost accesso for LS-U and LS-T models









#### Four-wheel-drive command at your fingertips.

For years, other manufacturers have been displaying their latest family SUV's traversing rocky mountain ranges and cruising along soft sandy beaches – only to be told in the showroom that "you shouldn't really try that." Well now with the Isuzu MU-X four-wheel-drive you can tackle that always dreamt of destination and reach that out-of-the-way spot with confidence, as it enables you real-world off-road capability.

All 4x4 MU-X models are equipped with Isuzu's super-easy to use "Terrain command" 4WD select dial (2-high, 4-high and 4-low range). The automatic transmission will also engage the Uphill/Downhill Transmission Control System automatically –

so when the road that takes you to that secret beach, or hidden mountain range gets tough, your spirit for adventure won't be stopped in its tracks.

Every 4x4 MU-X is also fitted with the rugged off-road protection you need when roughing it. There's a front steel plate skid/splash shield as well as steel plate guards to protect the sump and transfer case. Add to this a tried and tested 4x4 drivetrain managed by an intelligent Traction Control System (TCS) with Electronic Stability Control (ESC), along with generous ground-clearance, approach and departure angles – any track is yours to be owned.

d/shield "Terrain Command" 4WD system allows for simple shift from 2WD high, 4WD high and 4WD low

Independent high ride front coil spring suspension with gas sho absorbers, stabiliser bar, upper and lower wishbones Standard on all models, Traction Control System (TCS) ensures surefooted grip on all surfaces in all conditions

















Six-way electric driver seat allows you to conveniently

find your most comfortable driving position at the

touch of a button (LS-T model only)







# Your entertainment needs are at your fingertips with the premium touchscreen audio system, featuring USB, Bluetooth® phone and audio streaming, iPod® connectivity and an inbuilt SAT NAV function (LS-T model only)

## The fold-down 10" monitor provides a clear image display, which can be easy iewed by both the second and third row occupants (LS-T model only)



Passive Entry and Start System provides keyless locking and unlocking as well as an engine start/stop button (LS-T model only)



## YOUR 5 STAR SAFETY

#### Peace of mind for everywhere you drive.

Your safety on the road is our priority. To ensure this, the Isuzu MU-X is fitted with the latest in sophisticated safety features. Built around a high-tensile steel passenger safety cell with side-intrusion bars, the MU-X carries comprehensive crash avoidance electronics including 4-channel 4-sensor ABS (Anti-skid Brake System) with EBD (Electronic Brakeforce Distribution) and Emergency Brake Assist (EBA) as well as Electronic Stability Control (ESC) and Traction Control System (TCS). Additional protection and peace of mind is provided with six airbags (dual front, front side and full length curtain). For the safety of those around you, all MU-X models come standard with rear park assist audible sensors and on the LS-T model a reversing camera. These safety features work in unison to give the Isuzu MU-X a 5 star ANCAP safety rating across the range.

For the ultimate peace of mind, Isuzu UTE Service Plus provides a comprehensive care package for your MU-X. Every MU-X comes standard with a 5 year/130,000km<sup>^</sup> New Vehicle Warranty. This backs up our belief that you will enjoy many years of trouble free motoring as a proud MU-X owner. Isuzu has built a solid reputation of reliability and durability over many generations of vehicles and we have confidence that the Isuzu MU-X upholds this tradition. This warranty is complimentary with every new vehicle and it can even be transferred to the next owner which helps to keep a high resale value for your Isuzu MU-X investment.

Where ever you take your MU-X, you are never alone. Each Isuzu MU-X comes standard with the ultimate in vehicle support, 5 years or 130,000km Premium Roadside Assistance<sup>^</sup>. This complimentary service offers an extensive range of benefits to assist you in the unlikely event you need it.

3 years/60,000kms Capped Price Serving<sup>></sup> ensures there are 'no surprises' in your servicing costs. This means no matter which authorised Isuzu UTE Dealership you take your MU-X to, you will know the costs of your service up-front and ensure your MU-X is serviced by our factory trained, highly-skilled technicians.



Included on all MU-X models Electronic Stability Control (ESC) detects if the vehicle is under or oversteering



^5 years or 130,000km whichever occurs first, for eligible customers; excludes accessories. >The Capped Price Servicing Program applies to eligible Isuzu UTE vehicles with a warranty start date after 1 January 2015. The program covers the first 6 scheduled services in line with the scheduled service intervals. Program price subject to change. For full terms & conditions and current pricing go to isuzuute.com.au/service-plus.

### YOUR CHOICE

The Isuzu MU-X is offered in three versatile model variants in both 4x2 and 4x4 drivetrains – so there's a vehicle to suit all purposes, be it for your daily grind or family fun.

With a reliable and fuel efficient 3.0L turbo diesel engine, advanced safety features and 3 tonne (braked) towing capacity standard across all models, the MU-X is ready for you to go your own way.





Our entry-level LS-M is perfectly suited to those looking for a no-nonsense, all-purpose SUV. While stylish for city streets, the LS-M will be right at home on a worksite or farm where the rough-and-tumble of everyday life will be taken in its stride.





#### LS-M key differentiating features:

16" alloy wheels with full size spare steel wheel

All-terrain tyres 245/70 R16

Colour-coded side mirrors and door handles

Gun metallic front grille

Manual air conditioning with integrated heater/demister





The mid-range LS-U is our family all-rounder. The LS-U introduces more of the styling and features you have come to expect from a family SUV, making it the ideal run around during the week with the flexibility to get away from it all when Friday afternoon rolls around.





#### LS-U key differentiating features:

17" alloy wheels with full size spare alloy wheel

Highway terrain tyres 255/65 R17

Fog lights

Chrome exterior styling front grille, side mirrors and handles

Climate control airconditioning with integrated heater/demister

Rear cabin cooling vents

Privacy glass - rear doors, quarter and tailgate windows



Our range topping LS-T takes the comfort and convenience levels up another notch. With standard features like leather-appointed seats\*, Passive Entry and Start System, touch-screen navigation, reverse camera and DVD player, every journey will not only be comfortable, but a fun one too.



#### LS-T includes all LS-U features plus:

Leather appointed seats# Passive Entry and Start System Six-way electric driver's seat Roof rails Tailgate spoiler Chrome muffler tip Touchscreen navigation and audio system 10" rear monitor display Shark fin roof-mounted integrated GPS antenna Reversing camera

#Leather on body contact areas of seat.





#### www.isuzuute.com.au Toll Free: 1300 147 898

This brochure should be read with the Isuzu MU-X specification insert. Isuzu UTE Australia Pty Ltd (ABN 80 129 563 739, 1000 Wynnum Road, Cannon Hill, Queensland, 4170, Australia) reserves the right to change specifications and content without notice, subject to any applicable Federal, State or Territory laws or regulations which may apply. Any accessories shown herein are illustrative and generally are extra-cost optional, not standard equipment. Colours depicted herein may differ from actual due to the printing process. Please refer to isuzuuccom.au or consult your authorised Isuzu UTE Dealer for current availability of models, options, specifications, colours and Isuzu UTE Genuine Accessories. No part of this brochure can be reproduced without the written permission from Isuzu UTE Australia. @ Copyright Isuzu UTE Australia Pty Ltd 2015. Part No.: 5463756040 - 15MY MU-X SALES BROCHURE





#### **■ TECHNICAL SPECIFICATIONS**

Engine					
Series	Isuzu 4JJ1-TC Hi-Pow	er			
Description	3.0 litre turbo diesel, i	n-line 4-cylinder, DOH	IC, 16-valve		
Maximum torque	380 Nm @ 1800→280	2800 rpm (automatic and manual)			
Maximum power	130 kW @ 3600 rpm				
Bore x stroke	95.4 mm x 104.9 mm				
Displacement	2999 сс				
Compression ratio	17.3 : 1				
Cylinder head	Isuzu-patent special a	luminium alloy with d	ouble-walled water jacketing		
Valve gear	Chain-driven dual ove	rhead camshafts, rolle	er rockers, 4 valves/cylinder		
Induction		ectronic high pressure common rail direct fuel injection with VSS (Variable wirl System) & intercooled VGS (Variable Geometry System) turbo charger			
Cylinder block	Cast iron upper with i special pistons with n		linder bores, cast alloy lower; gs		
Emission level	Euro 4				
Alternator	120 amp				
Transmissions					
Manual	Isuzu 5-speed manua 265mm diameter clut		acity & output reduction		
Automatic	electronically controlle lock-up torque conver ▶Uphill/Downhill Trans	Aisin AW TB50-LS 5-speed with sequential shift & brake shift lock electronically controlled, tri-mode with Adaptive Grade Logic & fuel-saving lock-up torque converter on gears 3, 4 & 5  • Uphill/Downhill Transmission Control System: holds gear in varied-gradient ascents, selects gear on steep descents to hold speed with engine braking			
Ratios: 1		5-speed Manual	5-speed Automatic		
	1st 2nd 3rd 4th 5th Reverse	4.332 2.561 1.492 1.000 0.791 3.947	3.520 2.042 1.400 1.000 0.716 3.224		
Final drive	4x2 4x4	3.727 3.727	3.727 3.727		
	Snorkelled diff breathe	ers to increase fording	depth & reduce mud blockage		
Transfer gearing	4x4 low range 4x4 high range	2.482 1.000	2.482 1.000		
4x4 system	"Terrain Command" co at up to 100km/h	ntrol with 'shift on the	fly' 2-high ↔4-high selection		
Drivetrain system	TCS (Traction Control on all model variants	System) & ESC (Elect	ronic Stability Control)		

Chassis	
Frame	Separate, full-length heavy-duty ladder construction chassis
Front suspension	Independent, high ride, coil springs, gas shock absorbers, upper & lower wishbones, stabiliser bar
Rear suspension	Multi-link coil suspension, gas shock absorbers, stabiliser bar
Axles	
Front	Independent. 4x4: fully floating with outer CV & inner double offset joints Gross Axle Weight: 1350kg
Rear	Rigid semi-floating banjo with hypoid final drive Gross Axle Weight: 1600kg

#### Steering

Engine-speed-sensitive variable capacity power-assisted rack & pinion system; 3.84 turns lock-to-lock via tilt-adjustable steering wheel

#### Brakes

Power-assisted via 10.5" servo unit; 300mm dia ventilated front discs with twin-pot calipers, 318mm rear disc brakes

Anti-skid Brake System (ABS) with Electronic Brakeforce Distribution (EBD) and Emergency Brake Assist (EBA) Central pull up park brake

Wheels & Tyres	
LS-M	16"x 7" alloy; 245 / 70 R16 AT
LS-U, LS-T	17"x 7" alloy; 255 / 65 R17 HT

(Full size spare wheel - alloy on LS-U/LS-T and steel on LS-M)

#### Warranty, Roadside Assistance & Capped Price Servicing



New vehicle warranty and premium roadside assistance for 5 years/130,000km, whichever occurs first, for eligible customers; excludes accessories and trays.

The Capped Price Servicing Program applies to eligible Isuzu UTE vehicles with a warranty start date after 1 January 2015. The program covers the first 6 scheduled services in line with the scheduled service intervals. Program price subject to change. For full terms & conditions and current pricing go to isuzuute.com.au/service-plus.

Please read with current vehicle brochure. All information is true and correct at the time of publishing, April 2015. Isuzu UTE Australia reserves the right to change specifications and features at any time.





#### FEATURES & SPECIFICATIONS

	4x2 [	Models		4x4 Mod	lels
FEATURES	LS-M	LS-U	LS-M	LS-U	LS-T
Engine	20	200	20		-01.
2999cc DOHC 4-cylinder, intercooled turbo charged, Euro4, (130kW, 380Nm,)	•	•	•	•	•
Transmissions	<u> </u>	_		·	
5-speed manual transmission			•	•	
5-speed 'Rev-Tronic' automatic transmission with sequential sport mode	•	•	•	•	•
Safety & Security					
4-channel 4-sensor ABS (Anti-skid Brake System) with EBD (Electronic Brakeforce Distribution)	•	•	•	•	•
Electronic Stability Control (ESC)	•	•	•	•	•
Traction Control System (TCS)	•	•	•	•	•
Emergency Brake Assist (EBA)	•	•	•	•	•
Chairpags: dual front, front side and full length curtain	•	•	•	•	•
Reversing camera					•
Rear park assist	•	•	•	•	•
Height-adjustable upper mounts for front seat belts	•	•	•	•	•
Audible and visual front seat belt warnings	•	•	•	•	•
Dual pre-tensioners with load limiters for front seat belts	•	•	•	•	•
3-point retractable seat belts for all seating positions	•	•	•	•	•
Emergency looking retractor (ELR) for all seat belts	•	•	•	•	•
Automatic locking retractor (ALR) for front passenger and 2nd row seatbelts including centre seat	•	•	•	•	•
Three childseat tethers and ISO FIX compatible anchor points for 2nd row seats	•	•	•	•	•
Child-proof rear door locks	•	•	•	•	•
Side anti-intrusion bars inside side doors	•	•	•	•	•
Engine immobilizer	•	•	•	•	•
Anti-theft alarm system		•		•	•
Audible alarm when headlights or parking lights are left on and the key is not in ignition	•	•	•	•	•
Rear window demister with timer	•	•	•	•	•
High Density Polyethylene (HDPE) fuel tank	•	•	•	•	•
High mount LED brake light	•	•	•	•	•
Dual horn	•	•	•	•	•
Protection					
Under-front steel plate skid/splash shield	•	•	•	•	•
Steel plate quards: sump and transfer case			•	•	•
Suspension and Brakes					
Front coil suspension with gas filled shock absorbers	•	•	•	•	•
Rear multi-link coil suspension with gas filled shock absorbers and stabiliser bar	•	•	•	•	•
300mm front ventilated discs brakes with twin-pot calipers	•	•	•	•	•
318mm rear solid disc brakes	•	•	•	•	•
Exterior Style					
Projector lens headlights for extra low beam depth and reduced flare	•	•	•	•	•
Front fog lights		•		•	•
Chrome radiator grille		•		•	•
Gun metal grey radiator grille	•		•		
Aluminium side steps		•		•	•
Chrome door handles		•		•	•
Chrome door handles with touch sensor opening and push button locking					•
Colour-coded door handles	•		•		
Chrome fold-in power door mirrors with integrated turn indicators		•		•	•
Colour-coded power door mirrors with integrated turn indicators	•		•		
Shark fin roof-mounted integrated GPS antenna					•
Roof-mounted bee-sting antenna	•	•	•	•	
Privacy glass - rear doors, quarter and tailgate windows		•		•	•
Roof rails (maximum load capacity 60kg)					•
Enhanced style featuring roof rails, tailgate spoiler and muffler cutter					•
. O Man Wittenburg 1 to 1 t					

#### FEATURES & SPECIFICATIONS

	4x2	Models		4x4 Mod	lels
FEATURES	LS-M	LS-U	LS-M	LS-U	LS-T
Seating Seating		-50	20		-5.
Front bucket whiplash protection seats	•	•	•	•	•
Troff backet wingbars protection seats Leather appointed seats*			_		•
Six-way adjustable electric driver's seat					•
Height-adjustable driver's seat	•	•	•	•	
60:40 split-fold 2nd row seats with fold away centre arm rest	•		•	-	•
50:50 split-fold 3rd row seats (not available for ISO FIX)	•		•		
Adjustable headrests for all seats including centre seat			-		
In-cabin Storage			•	_	
	•		•		
Glovebox with light		•		•	•
Power outlet in glovebox and in rear cargo area	•		•		
Centre console with two cup holders and removable ash container	•	•	•	•	•
Dual-purpose driver and front passenger cup holder tray	•	•	•	•	•
Rear passenger door cup holders	•	•	•	•	•
Overhead console with twin map lights and flip-down sunglasses holder	•	•	•	•	•
Front door storage with cup holders	•	•	•	•	•
Two coat hooks	•	•	•	•	•
Rear cargo organiser box	•	•	•	•	•
Cabin Amenities Cabin Amenitie					
Climate control air conditioning with integrated heater/demister		•		•	•
Manual air conditioning with integrated heater/demister	•		•		
Rear cabin cooling vents		•		•	•
Pollen and fine particle air filter	•	•	•	•	•
Power windows with one-touch down/up, driver's window with safety stop and delay closing	•	•	•	•	•
Central locking with keyless entry	•	•	•	•	•
Passive Entry and Start System					•
Power-adjustable door mirrors with turn indicator lights	•	•	•	•	•
Cruise control	•	•	•	•	•
CD/MP3/FM/AM/AUX audio unit with 6 speakers, Bluetooth® phone and audio streamling, and iPod® plug in via mini USB (cable at extra cost)	•	•	•	•	
DVD/USB/SD/CD/MP3/FM/AM/AUX audio unit with iPod® and Bluetooth® phone and audio streaming (remote control included)					•
"Sky Sound" roof-mounted sound system - total 8 speakers (front dash, front doors, rear doors and roof)					•
Satellite navigation system with live traffic updates					•
Roof mounted 10° DVD entertainment monitor					•
Reversing camera					•
Rear park assist	•	•	•	•	•
Tilt-adjustable steering wheel with power steering	•	•	•	•	•
Leather wrapped steering wheel with easy select cruise and audio controls	•	•	•	•	•
Multi-Information Display (MID): odometer, trip odometers A and B, fuel economy, range, maintenance distance	•	•		•	•
Electro-luminescent gauges	•	•	•	•	•
"Terrain command" 4WD select dial (2-high, 4-high and 4-low range)			•	•	•
Windscreen wipers with variable intermittent sweep modes	•	•			
Rear window wiper	•	-	•		
Day/night interior rear view mirror		-	•		
- · ·					-
Sun visors with vanity mirror (left) and ticket retaining strap (right)			•		
Fixed A-pillar assist-grips for driver and front passenger		•	•	•	•
Roof mounted retractable door assist-grips for front and rear doors	•	•	•	•	•
3rd row assist-grips	•	•	•	•	•
Carpet flooring	•	•	•	•	•

\*Leather on body contact areas of seat.

iPod® is a trademark of Apple Inc. The Bluetooth® word mark is owned by Bluetooth SIG, Inc. Not all devices will be compatible and functionality will vary depending on the device.



#### FEATURES & SPECIFICATIONS

	4x2 Models	: Models		els
SPECIFICATIONS	LS-M LS-U	LS-M	LS-U	LS-T
MU-X ADR 81/02 <sup>a</sup> Fuel Consumption Values				
Transmission (MT = Manual, AT = Automatic)	AT AT	MT/AT	MT/AT	AT
FUEL CONSUMPTION (litres/100km)				
Combined	8.1 8.1	8.1/8.3	8.1/8.3	8.3
Urban	10.2 10.2	10.5/10.3	10.5/10.3	10.3
Extra Urban	7.0 7.0	6.8/7.1	6.8/7.1	7.1
CO <sup>2</sup> (g/km)				
Combined	215 215	215/219	215/219	219
Urban	268 268	275/272	275/272	272
Extra Urban	185 185	180/188	180/188	188
Dimensions (mm unless stated otherwise)				
Wheelbase	2845 2845	2845	2845	2845
Overall length	4825 4825	4825	4825	4825
Overall width (excl. door mirrors)	1860 1860	1860	1860	1860
Overall height	1825 1830	1825	1830	1860
Front overhang	905 905	905	905	905
Front / Rear track	1570 1570	1570	1570	1570
Ground clearance - minimum	220 230	220	230	230
Turning circle diameter between kerbs (metres)	11.6 11.6	11.6	11.6	11.6
Approach angle	29.5° 30.1°	29.5°	30.1°	30.1°
Departure angle	24.6° 25.1°	24.6°	25.1°	25.1°
Ramp-over angle	21.9° 22.6°	21.9°	22.6°	22.6°
Fuel tank capacity (litres)	65 65	65	65	65
Interior (mm)				
Leg room - front	1106 1106	1106	1106	1106
Leg room - 2nd	915 915	915	915	915
Leg room - 3rd	815 815	815	815	815
Shoulder room - front	1458 1458	1458	1458	1458
Shoulder room - 2nd	1453 1453	1453	1453	1453
Shoulder room - 3rd	1340 1340	1340	1340	1340
Head room - front	1009 1009	1009	1009	1009
Head room - 2nd	980 980	980	980	980
Head room - 3rd	929 929	929	929	929
Mass (kg)				
Tare Mass† (AT models additional 15kg)	1900 1940	1985^	2025^	2060
Gross Vehicle Mass	2650 2650	2750	2750	2750
Gross Combination Mass	5650 5650	5750	5750	5750
Maximum Towing Mass (Braked Trailer)	3000 3000	3000	3000	3000
Maximum Towing Mass (Non-Braked Trailer)	750 750	750	750	750
Maximum Tow Ball Mass load	300 300	300	300	300

<sup>a</sup>ADR 81/02 is the federal government's standard laboratory based test regime. Figures applicable for MU-X models built from 6 November 2014 onwards. Your figures may depend on driving style, conditions of usage, vehicle condition and load, and other factors.

†Tare Mass - unladen mass of vehicle and 10 litres of fuel.



#### MODEL LINE UP & OPTIONS

#### **MODEL LINE UP**

LS-M 4x4 & 4x2 High-Ride










DIMENSIONS (mm)









LS-T 4x4

#### **COLOUR OPTIONS**



Titanium Silver metallic mica



Cosmic Black Fjord Blue metallic



Outback Bronze metallic



Silky White pearl



Splash White


#### **SEAT TRIMS**



Black Cloth (LS-M & LS-U)



Charcoal Grey Leather# (LS-T)



ISUZU UTE GO YOUR OWN WAY